

Raco



Raco is used against rodents inside and around buildings. Raco is available on different cereal supports. More specifically wheat grains are used in the fabrication of a specific bait against brown rats. Indeed, wheat is the favourite and most frequent food of brown rats. A second specific formulation composed of mashed wheat and corn is specifically designed for control of mice. Raco is available in bulk or wrapped in sachets of 25g, 50g and 100g.

Recommendations of usage

Determine areas where rats and/or mice will most likely find and consume the bait. Place the baits in these areas. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed.

It is important to use small quantities of baits in a lot of different places than to use big quantities but in a few places.

When consumption stops, leave some bait to prevent re-infestation.

Usage of bait station ensures security and quality of product.

Dosage

Rats

100g of baits every 10m (5m in case of high infestation).

Mice

20g of baits every 5m (3m in case of high infestation).



FORMULATION TYPE

Cereals

ACTIVE INGREDIENT

Difenacoum 0.005%
Difenacoum 0.0025%

CHEMICAL CLASS

4-hydroxycoumarin. Anticoagulant of 2nd generation

MECHANISM OF ACTION


Vitamin K antagonist leading to anticoagulation of rodents

TARGET

Rats and mice - Specific formulations against mice and brown rats

PACKAGING

Professional: As from 3 kg depending of countries.
Amateur: Up to 150 g by dose of maximum 25 g.



Difenacoum