

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Gas cartridge propane/butane

Registration no.

UFI 8FED-W1JU-H00A-XEP4

Substance / product identification

PR-No. 15683, 1753, 221

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Gas cartridge

Identified Uses

SU1 Agriculture, forestry, fishery

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Albert Kerbl GmbH

Felizenzell 9

84428 Buchbach

Telephone no. +49 8086 933-100

Fax no. +49 8086 933-500

Information provided by / telephone Albert Kerbl GmbH Tel.: 0049-(0)8086-933-104 Email: bm@kerbl.com

E-mail address of person responsible for this SDS info@kerbl.com

1.4. Emergency telephone number

Joint poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia c/o HELIOS Klinikum Erfurt Nordhäuser Strasse 74

Tel.: (03 61) 73 07 30 - Fax: (03 61) 7 30 73 17

E-Mail: ggiz@ggiz-erfurt.de - Internet: www.ggiz-erfurt.de

For England (NHS 111) call: 111

For Scotland (NHS24) call: 111

For Wales (NHS Direct) call: 111

When it's less urgent than: 999

For Northern Ireland call: GP Out-of-Hours (www.gpoutofhours.hscni.net)

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Aerosol 1 H222

Aerosol 3 H229

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

Labelling according to regulation (EC) No 1272/2008**Hazard pictograms *******Signal word *****

Danger

Hazard statements ***

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated.

Precautionary statements ***

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P403 Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

The product contains no PBT or vPvB substances.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Further ingredients *******Butane**

CAS No. 106-97-8

EINECS no. 203-448-7

Concentration >= 50 %

[3]

Classification (Regulation (EC) No. 1272/2008)

Flam. Gas 1 H220

Press. Gas

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note C, U

DSD Directive 67/548/EEC, Annex I, Note C

Propane

CAS No. 74-98-6

EINECS no. 200-827-9

Concentration >= 25 < 50 %

[3]

Classification (Regulation (EC) No. 1272/2008)

Flam. Gas 1 H220

Press. Gas

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note U

Isobutane

CAS No. 75-28-5

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

EINECS no. 200-857-2
 Concentration \geq 1 < 10 %
 [3]
 Classification (Regulation (EC) No. 1272/2008)
 Flam. Gas 1 H220
 Press. Gas

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note C, U

DSD Directive 67/548/EEC, Annex I, Note C

Note ***

[3] Substance with occupational exposure limits

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor. Burn: Rinse thoroughly with water until pain stops. Remove clothing that does not stick to the skin and seek medical advice/transport to hospital. If possible, continue flushing until medical help arrives.

After inhalation

Ensure supply of fresh air. When vapours are intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Take medical treatment.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Remove contact lenses. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Foam, Water spray jet

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case the product spills into sewage waters, immediately inform the authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place. Gas mixture is heavier than air and spreads on the ground.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Other information**

There are not known any further control parameters.

8.2. Exposure controls**General protective and hygiene measures**

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

Chemical resistant gloves

Appropriate Material nitrile

Hand protection must comply with EN 374.

Gloves should be selected according to the use and duration of use at the workplace.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Physical state**

Aerosol

Colour

colourless

Odour

odourless

Melting point

Remarks

not determined

Freezing point

Remarks

not determined

Boiling point or initial boiling point and boiling range

Value

-0,5

°C

Flammability

not determined

Upper and lower explosive limits

Remarks

not determined

Flash point

Value

-60

°C

Ignition temperature

Value

365

°C

Decomposition temperature

Remarks

not determined

pH value

Remarks

not determined

Viscosity

Remarks

not determined

Solubility(ies)

Remarks

not determined

Partition coefficient n-octanol/water (log value)

Remarks

not determined

Vapour pressure

Value

2,08

bar

Density and/or relative density

Remarks

not determined

Relative vapour density

Remarks

not determined

9.2. Other information

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks soluble

Explosive properties

evaluation Container is under pressure: may burst when heated.

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

Vapours can form an explosive mixture with air.

10.4. Conditions to avoid

Protect from heat/overheating.

10.5. Incompatible materials

Oxidising agents

10.6. Hazardous decomposition products

None

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks not determined

Acute dermal toxicity

Remarks not determined

Acute inhalational toxicity

Remarks not determined

Acute inhalative toxicity (Components)**Butane**

Species	mouse	
LC50	1237	mg/l

Propane

Species	mouse	
LC50	1237	mg/l

Skin corrosion/irritation

Remarks not determined

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

Serious eye damage/irritation

Remarks not determined

Sensitization

Remarks not determined

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks not determined

Reproductive toxicity

Remarks not determined

Carcinogenicity

Remarks not determined

Specific Target Organ Toxicity (STOT)

Remarks not determined

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined

Fish toxicity (Components)**Butane**

Species	Fish				
LC50	24,11	to	147,54	mg/l	

Algae toxicity (Components)**Butane**

Species	Algae				
EC50	7,71	to	16,5	mg/l	

12.2. Persistence and degradability**General information**

not determined

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

12.4. Mobility in soil

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

General information

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects**General information**

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.




SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	D		
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)	2	2.1	2.1
Label			
Limited Quantity	1 l		
Transport category	2		

Information for all modes of transport**14.6. Special precautions for user**

Trade name: Gas cartridge propane/butane

Version: 2 / GB

Date revised: 11.10.2022

Substance number: R-15683

Replaces Version: 1 / GB

Print date: 11.10.2022

See Sections 6 to 8

Other information**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

SECTION 15: Regulatory information**15.2. Chemical safety assessment**

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.