

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Review date: 08/03/2021 Supersedes version of: 10/11/2020 Version: 9.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PHAGO'RUB GEL SPS

Product code : 1592
Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : hydroalcoholic gel

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

ManufacturerDistributorChristeyns France S.A.Christeyns Ltd.rue de la Maladrie 31Rutland Street

44120 VERTOU - France P.O. Box Bradford BD4 7EA - UK

T +33 (0)240 80 27 27 - F +33 (0)240 03 09 73 Bradford BD4 7EA - United Kingdom

health-security@christeyns.fr - www.christeyns.com

T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43

info@christeyns.be - www.christeyns.com

#### **Distributor** Distributor

2 Dublin - Ireland T +44(0)1925 234693 - F +44(0)1925 234693
T Tel: +353 1 8146022 UK-foodinfo@christeyns.com - www.christeyns.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Flam. Liq. 2
 H225

 Eye Irrit. 2
 H319

 Aquatic Chronic 3
 H412

Full text of hazard classes and H-statements : see section 16

## Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02 GHS07

CLP Signal word : Danger

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P273 - Avoid release to the environment.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

Component	
Ethanol	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
tetradecanol (112-72-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol (Active substance (Biocide)) substance with a Community workplace exposure limit	(Einecs nr) 200-578-6 (EG annex nr) 603-002-00-5 (REACH-no) 01-2119457610-43	≥ 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319
tetradecanol	(CAS-no) 112-72-1 (Einecs nr) 204-000-3 (REACH-no) 01-2119485910-33	0.1 – 1	Eye Irrit. 2, H319 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice : In case of doubt or persistent symptoms, consult always a physician. See Heading 11.

Inhalation: Move to fresh air.Skin contact: Rinse with water.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion : Rinse mouth out with water. Do not induce vomiting. Call a poison center or a doctor if you

feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : No data available.

Acute effects skin : No data available.

Acute effects eyes : Causes serious eye irritation.

Acute effects oral route : No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Foam, powder, carbon dioxide (CO2), water spray.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

08/03/2021 (Revision date) EN (English) 2/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

eves.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Wash away remainder with plenty of water.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not eat, drink or smoke when using this

product. Shower, eyes shower and water point in proximity. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only non-sparking tools. Wear personal protective equipment. Avoid contact with eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in original container. Protect from sunlight. Store in a well-ventilated place. Keep

cool. Keep container tightly closed.

Storage temperature  $: 5 - 30 \, ^{\circ}\text{C}$  Material(s) to avoid : Not determined.

Storage area : Store in a cool, well-ventilated place.

# **7.3. Specific end use(s)**No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Ethanol		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	1900 mg/m³	
IOEL TWA [ppm]	1000 ppm	
IOEL STEL	9500 mg/m³	
IOEL STEL [ppm]	5000 ppm	

#### 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

tetradecanol (112-72-1)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	125 mg/kg bodyweight/day
Acute - systemic effects, inhalation	220 mg/m³
Long-term - systemic effects, dermal	125 mg/kg bodyweight/day

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Long-term - systemic effects, inhalation	220 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	75 mg/kg bodyweight
Acute - systemic effects, inhalation	65
Acute - systemic effects, oral	75 mg/kg bodyweight
Long-term - systemic effects,oral	75 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	65 mg/m³
Long-term - systemic effects, dermal 75 mg/kg bodyweight/day	
PNEC (Water)	
PNEC aqua (freshwater)	0.00032 mg/l
PNEC aqua (marine water)	0.000032 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.36 mg/kg dwt
PNEC sediment (marine water)	0.036 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.28 mg/kg dwt

Ethanol		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	1900 mg/m³	
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	950 mg/m³	
DNEL/DMEL (General population)		
Acute - local effects, inhalation	950 mg/m³	
Long-term - systemic effects,oral	87 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	114 mg/m³	
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.96 mg/l	
PNEC aqua (marine water)	0.79 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	3.6 mg/kg dwt	
PNEC sediment (marine water)	2.9 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.63 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	0.72 mg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	580 mg/l	

## 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.2. Personal protection equipment

### 8.2.2.1. Eye and face protection

Eye protection:	
Not applicable	

#### 8.2.2.2. Skin protection

Protective equipment:	
Not required	

Hand protection:	
Not required	

### 8.2.2.3. Respiratory protection

Respiratory protection:	
Not required	

## 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Physical state/form : viscous liquid. Odour : alcohol odour. Odour threshold : Not available Melting point/range : Not applicable Freezing point : Not available Boiling point/Boiling range : > 35 °C Flammability : Not applicable **Explosive limits** : Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available : = 20 °C Flash point Autoignition temperature : Not available Decomposition temperature : Not available : 7.5 – 8.5 : Not available Viscosity, kinematic : ≈ 2500 cP Viscosity, dynamic

Solubility : Water: 100 % 20°C

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50 °C : Not available

Density : Not available

Relative density : 0.863 – 0.873 (20°C)

Relative vapour density at 20 °C : Not available

Relative vapour density at 20 °C : Not available
Particle size : Not applicable
Particle size distribution : Not applicable
Particle shape : Not applicable
Particle aspect ratio : Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

#### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 72 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Heat. Direct sunlight. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Do not mix with other products. Oxidising agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified : Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified

Ethanol	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Vapours)	> 20 mg/l/4h

Skin corrosion/irritation : Not classified pH: 7.5 - 8.5

Serious eve damage/irritation : Causes serious eye irritation.

> pH: 7.5 - 8.5 : Not classified

Respiratory or skin sensitisation Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

## **Ethanol**

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified

: Not classified STOT-single exposure

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

#### 11.2. Information on other hazards

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

tetradecanol (112-72-1)	
NOEC (chronic)	> 0.001 (≤ 0.01) mg/l

Ethanol	
LC50 - Fish [1]	11200 mg/l
ErC50 algae	275 mg/l

## 12.2. Persistence and degradability

Ethanol	
Biochemical oxygen demand (BOD)	0.1 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.9 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

Ethanol	
Partition coefficient n-octanol/water (Log Kow)	-0.3

## 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Component	
Ethanol	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
tetradecanol (112-72-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Follow the local regulation.

Waste treatment methods : Dispose of in accordance with relevant local regulations.

Additional information : Flammable vapours may accumulate in the container.

Waste / unused products : Do not discharge into drains or the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA		
14.1. UN number or ID n	14.1. UN number or ID number			
UN 1993	UN 1993	UN 1993		
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.		
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III	UN 1993 Flammable liquid, n.o.s. (Ethanol), 3, III		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



#### No supplementary information available

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1 Special provisions (ADR) : 274, 601 Limited quantities (ADR) : 51

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special provisions

(ADR)

: TP1, TP29

Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Operation (ADR) : S2 Hazard identification number (Kemler No.) : 30

Orange plates

**30** 1993

Tunnel code : D/E EAC code : •3YE

## Transport by sea

Special provisions (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L

Packing instructions (IMDG) : LP01, P001 IBC packing instructions (IMDG) : IBC03

## Air transport

PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 : 220L CAO max net quantity (IATA) Special provisions (IATA) : A3

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 72 %

Other information, restriction and prohibition : Not affected by the conditions of restriction \_ ANNEXE XVII.

regulations

## 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Indication of changes:			
Section	Changed item	Change	Comments
2.2	Precautionary statements (CLP)	Modified	
16	Abbreviations and acronyms	Added	
	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878	Added	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

### Other information

: It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users. Such information is actually to be best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other product(s). EC Regulation 1272/2008 and its amendments.

Full text of H- and EUH-statements:		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2	H225	On basis of test data
Eye Irrit. 2	H319	Calculation method
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.