Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

SECTION 1: IDENTIFICATION OF THE SUB	STANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1. Product identifier	
Trade name	IF Fullclean Foam
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the product	
	LIQUID ALKALI
	Cleaning of breeding and livestock houses Professional cleaning foam for long-lasting, adhering farm buildings
1.3. Details of the supplier of the safety of	lata sheet
Company identification	
	INDUFARM nv
	Leon Bekaertstraat 5, 8770 Ingelmunster
	Tel 051/62 42 45
	info@indufarm.com / www.indufarm.com
1.4. Emergency telephone number	
Emergency phone number	
SECTION 2: HAZARDS IDENTIFICATION	

2.1. Classification of the substance or mixture

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Substance corrosive to metals - Category 1	H290: May be corrosive to metals.
Skin corrosion - Category 1A	H314: Causes severe skin burns and eye damage.
Hazardous to the aquatic environment — Chronic - Category 3	H412: Harmful to aquatic life with long lasting effects.

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

2.2. Label elements

Labelling according to 1272/2008/EC Regulation:

Hazard pictograms(s) :



Signal word : Danger

Contains : Potassium hydroxide+ Sodium hydroxide+ Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

Hazard statement(s) :

- H290: May be corrosive to metals.
- H314: Causes severe skin burns and eye damage.
- H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s) :

P260: Do not breathe vapours/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

The mixture does not contain substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. in concentration greater than 0.1%.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

Not applicable as this involves a mixture.

3.2. Mixtures

Chemical nature of the mixture : LIQUID ALKALI

Substance(s)	CAS number(s)	EINECS number(s)	index	No registration REACH	Classification according to Regulation (EC) 1272/2008	SCL M-factor ATE	Туре
3% <= Sodium hydroxide < 5%	1310-73-2	215-185-5	011-002-00-6	01-2119457892-27	Skin Corr. 1A H314 Met. Corr. 1 H290	$C \ge 5\%$ Skin Corr. 1A H314 2% $\le C < 5\%$ Skin Corr. 1B H314 0.5% $\le C < 2\%$ Skin Irrit. 2 H315 Eye Irrit. 2 H319	(1)
1% <= Ethylenediamine tetraacetic acid tetrasodium salt < 5%	64-02-8	200-573-9		01-2119486762-27	Acute Tox. 4 (inhalation) H332 Acute Tox. 4 (oral) H302 Eye Dam. 1 H318 STOT RE 2 H373		(1)
5% <= Sodium Lauryl/Myristyl carboxylate < 10%	27306-90-7				Eye Dam. 1 H318		(1)
2.5% <= Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides < 5%	308062-28-4	931-292-6		01-2119490061-47	Acute Tox. 4 (oral) H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	M Factor (Acute) 1	(1)
2% <= Potassium hydroxide < 5%	1310-58-3	215-181-3	01900200-8	01-2119487136-33	Acute Tox. 4 (oral) H302 Skin Corr. 1A H314 Met. Corr. 1 H290	C ≥ 5% Skin Corr. 1A H314 2% ≤ C < 5% Skin Corr. 1B H314 0.5% ≤ C < 2% Skin Irrit. 2 H315 Eye Irrit. 2 H319	(1)
1% <= Alcohols, C12-C14, ethoxylated < 5%	68439-50-9	500-213-3		01-2119487984-16	Eye Dam. 1 H318 Aquatic Chronic 3 H412 Aquatic Acute 1 H400	M Factor (Acute) 1	(1)

Туре

(1) : Substance classified as hazardous for health and/or the environment
 (2) : Substance with an exposure limit at the work station.

Substance of very high concern candidate for the authorisation procedure:

(3) : Substance considered as PBT (persistent, bioaccumulable, toxic)
(4) : Substance considered as vPvB (very persistent, very bioaccumulable)
(5) : Substance considered as carcinogenic category 1A
(6) : Substance considered as carcinogenic category 1B

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

- (7) : Substance considered as mutagenic category 1A
- (8) : Substance considered as mutagenic category 1B
- (9) : Substance considered as reprotoxic category 1A (10) : Substance considered as reprotoxic category 1B
- (10) : Substance considered as reprotoxic category (11) : Substance considered as endocrine disrupter
- (12) : Other substance considered hazardous to health or the environment

(N) : Nanomaterial

Full text of H- and EUH- phrases : see section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General indications:

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again. In case of faintness, get medical advice/attention. Show this safety data sheet to the doctor.

In the event of inhalation : Bring to fresh air. Put into practice respiratory help procedure if needed and get medical advice immediately.

In the event of contact with the skin :

Take off immediately all contaminated clothing. Wash immediately with plenty of water for 15 minutes at least. Immediately call a POISON CENTER or doctor/physician.

In the event of contact with the eyes :

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

In the event of ingestion : Rinse mouth. Do NOT induce vomiting. Send to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract. Risk of perforating digestive tracts.

Inhalation : Aerosols can induce respiratory tracts irritation.

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

Treatments : Symptomatic treatment

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Agents compatible with other products involved into fire.

Unsuitable extinguishing media : None from our knowledge.

5.2. Special hazards arising from the substance or mixture

IF Fullclean Foam is non-flammable. However, in contact with certain metals (aluminium, zinc...), release of flammable and/or explosive hydrogen if ignited. Risk nitrogen oxide emission (Nox) in the event of fire.

5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit. Collect contaminated firefighting water separately, must not be discharged into the drains. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

6.1.2. For emergency responders :

Evacuate the personnel to a safe location. Keep people upwind and away from the location of the flow/leak. Use personal protection equipment.

6.2. Environmental precautions

Intervention limited to trained staff. Do not discharge the product directly to sewer or to environment. Take as soon as possible all incompatible materials away.

Pump in a reservoir of help.

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

Large spillage :

Mark out, soak up with an inert absorbant and pump in an emergency tank. Never return spills in original containers for re-use. Keep in suitable, properly labelled and closed containers for disposal.

6.4. Reference to other sections

Respect protective measures presented at heading 8. Refer to section 13 for the elimination.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Do not breathe spray. Do not eat, drink or smoke in work area. Avoid projections during use. Do not mix with an acid. Take off immediately all contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Storage :

Do not store below the point of freezing. Keep only in the original container. Keep container closed. Keep in a clean and dry place. Keep away from products sensitive to alkalis.

7.2.2. Packaging or wrapping materials :

High density polyethylene recommended.

7.3. Specific end use(s)

No other recommendation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limit values :

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

Substance	CAS number	Country	Туре	Value	Unit	Comments	source
Sodium hydroxide		FRA	VLCT	2	mg/m³		MSDS supplier
			VLEP 8h	2	mg/m³	Valeur limite indicative	International limit values for chemical agents
			EMV (Exposure medium	2	mg/m³		INRS
			value) :		ppm		INRS
		AUT	OEL 8h	2 inhalable aerosol	mg/m³		International limit values for chemical agents
			OEL Short term	4 inhalable aerosol	mg/m³		International limit values for chemical agents
		BEL	OEL 8h	2	mg/m³	М	International limit values for chemical agents
		CHE	OEL 8h	2 inhalable aerosol	mg/m³		International limit values for chemical agents
			OEL Short term	2 inhalable aerosol	mg/m³		International limit values for chemical agents
		DNK	OEL 8h	2	mg/m³		International limit values for chemical agents
			OEL Short term	2	mg/m³		International limit values for chemical agents
	1310-73-2	ESP	OEL Short term	2	mg/m³		International limit values for chemical agents
		GBR	OEL Short term	2	mg/m³		International limit values for chemical agents
		SWE	OEL 8h	1	mg/m³	Inhalable dust	International limit values for chemical agents
		POL	NDS 8h	0,5	mg/m³		International limit values for chemical agents
			NDSCh Short term	1	mg/m³		International limit values for chemical agents
			STEL	1	mg/m³		MSDS supplier
			TWA	0,5	mg/m³		MSDS supplier
		HUN	OEL 8h	2	mg/m³		International limit values for chemical agents
			OEL Short term	2	mg/m³		International limit values for chemical agents
		LVA	EMV (Exposure medium value) : 8h	0.5	mg/m³		
		SVN	OEL	2	mg/m³	opomba: Y	Rules on the protection of workers against the risks related to exposure to chemicals at work in Slovenia (Official Gazette RS, št 100/01, 39/05, 53/07, 102/10, 43/11. ZVZD-1 in 38/15)
			STEL	1		opomba: Y	Rules on the protection of workers against the risks related to exposure to chemicals at work in Slovenia (Official Gazette RS, št 100/01, 39/05, 53/07, 102/10, 43/11. ZVZD-1 in 38/15)
		HRV	OEL Short term	2	mg/m³		

8.2. Exposure controls

According to the requirements of Directive 98/24 /EC, the employer is required to conduct a risk assessment and implement appropriate risks management measures.

* For any situation where the absence of risk is not proven, he must consider the substitution or reduction of risk by improving in priority processes used and collective protection measures. The effectiveness of the solutions

04
Version 7.0.0
Creation date : 23/08/17
Revision: 15/11/22
Print Date : 16/11/22

implemented will be checked by measurement in comparison to the statutory limit values for substances defined in Section 8.1.

* If the risk remains after these corrective actions, he must always check by routinely measuring compliance with regulatory OEL if they exist in section 8.1 and apply all the individual protective measures given in section 8.2.

* When formalized risk assessment indicates a low risk to workers' health, control of compliance with regulatory OEL may not be considered and all individual protection measures is not always mandatory.

8.2.1. Appropriate engineering controls :

Ensure adequate ventilation.

Apply the necessary technical measures to comply with the professional exposure limit values.

8.2.2. Individual protection measures, such as personal protective equipment :

Eye/face protection :

Use safety glasses or facial screen in conformity with the EN 166 standard.



Hand protection :

Use chemical resistant gloves approved to EN 374. Examples of prefered materials for insulating gloves: Butyl rubber. Nitrile rubber. Neoprene.

Do not wear polyvinyl alcohol (PVA) gloves.



Skin protection :

Wear boots and a protective cloth with chemical resistance.



Respiratory protection :

During applications that cause aerosols to form, wear a half-mask in compliance with the European standard EN 140 or a complete mask in conformity with the European standard EN 136 equipped with a filter (in conformity with the European standard EN 143) of the following type: P2: Particles, solid aerosols and liquids



Thermal hazards :

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

Not applicable

Health measures :

Safety shower and eye wash fountain near to workplace. After using, wash systematically all personal protective equipment. Handle in accordance with good industrial hygiene practices and the safety instructions.

8.2.3. Environmental exposure controls :

Do not discharge the product directly to sewer or to environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

A	Ole en limit
Appearance	Clear liquid
Colour	Colourless to yellowish
Odour	Characteristic
Odour threshold	Not available
Freezing point	≈ -15 °C
Melting point	Not applicable
Boiling point	Not available
Flammability	Not applicable
Lower explosive limit	Not applicable
upper explosive limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not applicable
Pure pH	Not available
pH value at 10g/l	12.1±0.5
kinematic viscosity	Not applicable
Solubility in water	Soluble in water in all proportions
Solubility	Not applicable
Partition coefficient: n-octanol/water	Not applicable
Vapour pressure	Not available
Mass density	1.109±0.01 g/cm³
Relative density	1.109±0.01
Vapour density	Not available
Particle characteristics	Not applicable

9.2. Other information

Explosive properties Oxidising properties Viscosity (20°C, mobile 1, speed 60) Evaporation rate: Not applicable Not applicable 20±5 mPa.s Not available

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivit

Hazards linked to exothermal reactions.

10.2. Chemical stability

Stable in the recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Exothermic reactions with acids. Exothermic reactions with strong oxidizing agents.

10.4. Conditions to avoid

Storage below the freezing point.

10.5. Incompatible materials

Acids. Strong oxidizing agents. Light metals and/or colored.

10.6. Hazardous decomposition products

In contact with certain metals (aluminium, zinc...), release of flammable and/or explosive hydrogen if ignited.

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) N°1272/2008

Substance-related data:

Acute toxicity

Potassium hydroxide : LD 50 - oral rat (OECD 425): 333 - 388 mg/kg bw. Harmful if swallowed. - MSDS supplier Ethylenediamine tetraacetic acid tetrasodium salt : LD 50 - oral rat 1,780 mg/kg. - MSDS supplier Alcohols, C12-C14, ethoxylated : LD 50 - dermal rat > 2,000 mg/kg. - MSDS supplier Ethylenediamine tetraacetic acid tetrasodium salt : LC 50 - inhalation - 4h rat 1.5 mg/L. - MSDS supplier Potassium hydroxide (50) : LD 50 - oral 333 - 388 mg/kg. - MSDS supplier Alcohols, C12-C14, ethoxylated : LD 50 - oral > 2,000 mg/kg. - MSDS supplier Alcohols, C12-C14, ethoxylated : LD 50 - oral > 2,000 mg/kg. - MSDS supplier Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LD 50 - oral rat 1,064 mg/kg. - MSDS supplier

Skin corrosion/irritation

Sodium hydroxide (50%): Cutaneous contact rat . Corrosive to the skin - MSDS supplier Ethylenediamine tetraacetic acid tetrasodium salt : Skin irritation (OECD 404): . non irritating - MSDS supplier Potassium hydroxide (50%): Skin irritation . Causes severe burns. - MSDS supplier Alcohols, C12-C14, ethoxylated : Cutaneous contact (OECD 404): . non irritating - MSDS supplier Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Cutaneous contact . Irritating - MSDS supplier Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%): Skin corrosion/irritation rabbit (OECD 404): . Irritating -MSDS supplier

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

> Sodium hydroxide (50%) : Skin corrosion/irritation . Causes severe burns. - MSDS supplier Sodium hydroxide (50%): Skin corrosion/irritation . Causes severe burns. - MSDS supplier Serious damage to eyes/eye irritation Sodium hydroxide (50%) : Eye contact : . corrosive to the eyes - MSDS supplier Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Eye irritation . Risk of serious damage of eyes - MSDS supplier Ethylenediamine tetraacetic acid tetrasodium salt : Eve contact : . . Can induce serious ocular damages or even irreversibles - MSDS supplier Alcohols, C12-C14, ethoxylated : Eye irritation . Risk of serious damage of eyes - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier Potassium hydroxide (50%) : Serious damage to eyes/eye irritation . Serious damage to eyes - MSDS supplier Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%): Serious damage to eyes/eye irritation rabbit (OECD 405): . Causes burns. - MSDS supplier Sodium hydroxide (50%) : Serious damage to eyes/eye irritation . corrosive to the eyes - MSDS supplier Sodium hydroxide (50%): Serious damage to eyes/eye irritation . Serious damage to eyes - MSDS supplier Respiratory tracts irritation Sodium hydroxide (50%): Respiratory tracts irritation . Fog inhalation is irritant for respiratory tract - MSDS supplier Sensitisation Ethylenediamine tetraacetic acid tetrasodium salt : Sensitisation guinea-pig (OECD 406): . Not sensitising - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier Alcohols, C12-C14, ethoxylated : mouse, guinea-pig (OECD 406): . Not sensitising - MSDS supplier Mutagenicity Ethylenediamine tetraacetic acid tetrasodium salt : Micronucleus test (OECD 474): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt) Ethylenediamine tetraacetic acid tetrasodium salt : Lymphoma test mouse (OECD 476): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt) Ethylenediamine tetraacetic acid tetrasodium salt : Chromosomal aberration test (OECD 473): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt) Ethylenediamine tetraacetic acid tetrasodium salt : Ames test (OECD 471): Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt) Sodium hydroxide : . Not mutagenic - MSDS supplier Alcohols, C12-C14, ethoxylated : Ames test (OECD 471): . Not mutagenic - MSDS supplier Carcinogenicity Sodium hydroxide : mouse . Not carcinogenic - MSDS supplier Mix-related data: : Acute toxicity . Not determined Skin corrosion/irritation Skin corrosivity . The mixture should be considered as corrosive because of its extreme pH. Serious damage to eyes/eye irritation Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC. Respiratory / skin sensitisation Skin sensitisation . The mixture is not considered as a respiratory sensitiser according to 1272/2008/EC Regulation. Respiratory sensitisation . The mixture is not considered as a skin sensitiser according to 1272/2008/EC Regulation. Mutagenicity . The classification criteria are not met given the available data.

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

> Carcinogenicity . The classification criteria are not met given the available data.

Reproductive toxicity

. The classification criteria are not met given the available data.

Specific target organ toxicity - single exposure . The classification criteria are not met given the available data.

Specific target organ toxicity - repeated exposure . The classification criteria are not met given the available data.

Aspiration hazard

. The classification criteria are not met given the available data.

Most important symptoms and effects, both acute and delayed :

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract. Risk of perforating digestive tracts.

Inhalation : Aerosols can induce respiratory tracts irritation.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties Not concerned

SECTION 12: ECOLOGICAL INFORMATION

12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

Substance-related data:

Acute toxicity

Sodium hydroxide : LC 50 - 96 h fishes (Gambusia affinis) 35 - 189 mg/L. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt (40%): EC 20 - 30 min bacterias (OECD 209): > 500 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : EC 50 - 48h daphnia (Daphnia magna) > 100 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : LC 50 - 96h fishes (Lepomis macrochirus) > 100 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : EC 50 - 48h daphnia 3.1 mg/L. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : IC 50 algae 0.143 mg/L. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LC 50 - 96h fishes 2.67 mg/L. - MSDS supplier

Alcohols, C12-C14, ethoxylated : LC 50 fishes (ISO 7346/2): 1 - 10 mg/L. - MSDS supplier

Alcohols, C12-C14, ethoxylated : EC bacterias > 100 mg/L. - MSDS supplier

Alcohols, C12-C14, ethoxylated : EC 50 algae (OECD 201): 0.1 - 1 mg/L. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : EC 50 - 72h Aquatic species > 100 mg/L. - MSDS supplier

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

Alcohols, C12-C14, ethoxylated : EC 50 daphnia (Daphnia magna) (OECD 202): 0.1 - 1 mg/L. - MSDS supplier

Chronic toxicity

Alcohols, C12-C14, ethoxylated : NOEC - 21days daphnia 0.77 mg/L. - MSDS supplier Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : NOEC algae 0.067 mg/L. - MSDS supplier Alcohols, C12-C14, ethoxylated : NOEC fishes (Lepomis macrochirus) < 1 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier Alcohols, C12-C14, ethoxylated : NOEC daphnia (Daphnia magna) < 1 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier Degradability Sodium hydroxide (50%) : Biodegradability aerobic . Not applicable - MSDS supplier Sodium hydroxide (50%) : Biodegradability anaerobic . Not applicable - MSDS supplier Sodium hydroxide (50%) : Half life air 13 seconds. Degradation product = sodium carbonate - MSDS supplier Sodium hydroxide (50%): Water. Instantaneous ionization; Degradation products : salts - MSDS supplier Sodium hydroxide (50%): soil . Ionization / neutralization - MSDS supplier Ethylenediamine tetraacetic acid tetrasodium salt : Biodegradability Not easily biodegradable - MSDS supplier Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Biodegradability . Easily biodegradable. - MSDS supplier Alcohols, C12-C14, ethoxylated : Biodegradability (OECD 301): . Easily biodegradable. - MSDS supplier Alcohols, C12-C14, ethoxylated : . Surfactant(s) contained in this preparation comply with biodegradability criteria as defined in (EC) regulation nº 648/2004 on detergents. - MSDS supplier Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%): Biodegradability - 28days (OECD 301 D): > 90 %. Easily

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Biodegradability - 28days (OECD 301 D): > 90 %. Easily biodegradable. - MSDS supplier

Bioaccumulation

Sodium hydroxide (50%): . Not applicable - MSDS supplier Ethylenediamine tetraacetic acid tetrasodium salt (40%): . Not bioaccumulative considering that BCF<100 and log Pow<3 - MSDS supplier Alcohols, C12-C14, ethoxylated: . Not bioaccumulative - MSDS supplier

Mobility

Sodium hydroxide (50%): air . Instantaneous degradation - MSDS supplier Sodium hydroxide (50%): Water. . Important solubility and mobility - MSDS supplier Sodium hydroxide (50%): soil/sediments . Important solubility and mobility; Contamination of ground water in case of rain - MSDS supplier

Mix-related data: :

Acute toxicity fishes . Not determined daphnia . Not determined algae . Not determined

Chronic toxicity . No data available.

Degradability

. The surface agents contained in this mix are in line with the requirements of the Detergent Regulation 648/2004/EC.

Bioaccumulation . No data available.

Mobility . No data available.

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

Conclusion :

The mixture is considered to be dangerous for the environment according to 1272/2008/EC Regulation.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

12.6 Endocrine disrupting properties

Not concerned

12.7. Other adverse effects

No additional information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Treatment of the mixture :

Do not discharge the product directly to sewer or to environment. Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/ EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

Packaging treatment :

Rinse thoroughly the packaging with water and treat the effluent like wastes. Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/ EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

SECTION 14: TRANSPORT INFORMATION

ROAD TRANSPORT: Rail/Route (RID/ADR)

14.1 UN no : 1719

14.2 UN proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide + Potassium hydroxide)

14.3 Transport hazard class(es): 8

14.4 Packing group : II Hazard identification number : 80 Label : 8



Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

Tunnel code : (E)

14.5 Environmental hazard : No

14.6 Special precautions for user : No information.

Limited Quantity (QL): 1L

MARITIME TRANSPORT : IMDG

14.1 UN no :1719

14.2 UN proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide + Potassium hydroxide)

14.3 Transport hazard class(es): 8



14.4 Packing group : II

14.5 Environmental hazard Marine pollutant : No

14.6 Special precautions for user : No information. EmS number : F-A, S-B

Limited Quantity (QL): 1L

14.7 Maritime transport in bulk according to IMO instruments : Not concerned

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) $n^{\circ}528/2012$ concerning the making available on the market and use of biocidal products : Not concerned

Regulations relating to the hazards from major accidents : SEVESO 3 Directive (2012/18/EC) : Not concerned

Regulations relating to the classification, packaging and labelling of substances and mixtures : Regulation (EC) 1272/2008 amended.

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

> Waste regulations : 2008/98/EC Directive amended by 2015/1127/EC Directive - Regulation 1357/2014/EC Decision 2014/955/EC which establishes the list of hazardous waste.

Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals : Not concerned

Protection of workers :

Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EU) 2019/1021 of 20 June 2019 on persistent organic pollutants : Not applicable

Regulation (EC) 1005/2009 amended on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors: Not concerned

Regulation (EC) 648/2004 : In conformity with the regulation in force on detergents: Regulation (EC) N° 648/2004. Ingredient datasheet for the medical staff is available upon written request. Contains : 5-15% Anionic surfactants

< 5% Non-ionic surfactants, EDTA and salts thereof, Phosphonates

Comply with national and local legislation.

15.2. Chemical safety assessment

This safety data sheet has been drafted taking into account the information from exposure scenarios for the substances making up the mixture.

SECTION 16: OTHER INFORMATION

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

Version 7.0.0 Creation date : 23/08/17 Revision: 15/11/22 Print Date : 16/11/22

> Section(s) modified compared with the previous version : SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

List of H phrases referred to in section 3 :

- H290 : May be corrosive to metals.
- H302 : Harmful if swallowed.
- H314 : Causes severe skin burns and eye damage.
- H315 : Causes skin irritation.
- H318 : Causes serious eye damage.
- H332 : Harmful if inhaled.
- H373 : May cause damage to organs through prolonged or repeated exposure.
- H400 : Very toxic to aquatic life.
- H411 : Toxic to aquatic life with long lasting effects.
- H412 : Harmful to aquatic life with long lasting effects.

Sources of key data used to compile the data sheet : MSDS supplier

Historical : Version 7.0.0 Cancels and replaces previous version 6.1.