

SAFETY DATA SHEET of:

Anti Frost

Revision date: Wednesday, December 16, 2020

S96.50

1 SECTION 1: Identification of the substance/mixture and of the company/undertaking:

1.1 Product identifier:

Anti Frost

A00356 A00357

UFI:

QTAK-9092-000Q-6HT2

1.2 Relevant identified uses of the substance or mixture and uses advised against:

1

Concentration in use: /

1.3 Details of the supplier of the safety data sheet:

Indufarm N.V.

Leonbekaertstraat 5

8770 Ingelmunster

Tel.: +3251624245 — E-mail: info@indufarm.com — Website: www.indufarm.com

1.4 Emergency telephone number:

+32 70 245 245

2 SECTION 2: Hazards identification:

2.1 Classification of the substance or mixture:

Classification of the substance or mixture in accordance with regulation (EU) 1272/2008:

H225 Flam. Liq. 2 H319 Eye Irrit. 2

2.2 Label elements:

Pictograms:



Signal word:

Danger

Hazard statements: H225 Flam. Liq. 2:

Highly flammable liquid and vapour.

H319 Eye Irrit. 2:	Causes serious eye irritation.
Precautionary statements:	
P210:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P305+P351+P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313:	If eye irritation persists: Get medical advice/attention.
P370+P378:	In case of fire: Use carbon dioxide (CO2) or dry chemical extinguisher for extinction
P403+P233:	Store in a well-ventilated place. Keep container tightly closed.
P501:	Dispose of contents/container in accordance with local/regional/national/international regulations.
Contains:	

None

2.3 Other hazards:

None

3 SECTION 3: Composition/information on ingredients:			
Ethanol	≤ 50 %	CAS number:	64-17-5
		EINECS:	200-578-6
		REACH Registration number:	01-2119457610-43
		CLP Classification:	H225 Flam. Liq. 2 H319 Eye Irrit. 2
Ethyleneglycol	≤7%	CAS number:	107-21-1
		EINECS:	203-473-3
		REACH Registration number:	01-2119456816-28
For the full toyt of the Liphreece mentioned in this section		CLP Classification:	H302 Acute tox. 4 H373n STOT RE 2

For the full text of the H phrases mentioned in this section, see section 16.

4 SECTION 4: First aid measures:

4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.		
Skin contact:	Rinse with water.	
Eye contact:	Rinse first with plenty of water, if necessary seek medical attention.	
Ingestion: Rinse first with plenty of water, if necessary seek medical attention.		
Inhalation:	In case of serious or continuous discomforts: remove to fresh air and seek medical attention.	
4.2 Most important symptoms and effects, both acute and delayed:		
Skin contact:	None	

Eye contact:	Redness
Ingestion:	Diarrhoea, headache, abdominal cramps, sleepiness, vomiting
Inhalation:	None
2 Indication of any immediate medical attention and appaid treatment peeded	

4.3 Indication of any immediate medical attention and special treatment needed:

None

5	SECTION 5: Fire-fighting measures:	
---	------------------------------------	--

5.1 Extinguishing media:

CO2, foam, powder, sprayed water

5.2 Special hazards arising from the substance or mixture:

None

5.3 Advice for firefighters:

Extinguishing agents to be None avoided:

6 SECTION 6: Accidental release measures:

6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up wind. Remove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

6.2 Environmental precautions:

Do not allow to flow into sewers or open water.

6.3 Methods and material for containment and cleaning up:

Contain released substance, store into suitable containers. If possible, remove by using absorbent material.

6.4 Reference to other sections:

For further information, check sections 8 & 13.

- 7 SECTION 7: Handling and storage:
- 7.1 Precautions for safe handling:

Handle with care to avoid spillage.

7.2 Conditions for safe storage, including any incompatibilities:

Keep in a sealed container in a closed, frost-free, ventilated room.

7.3 Specific end use(s):

1

8 SECTION 8: Exposure controls/personal protection:

8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the TLV value is known

Ethanol 1,907 mg/m³, Methyl ethyl ketone 600 mg/m³, Isopropanol 424 mg/m³, Ethyleneglycol 52 mg/m³

8.2 Exposure controls:

Inhalation protection:	Respiratory protection is not required. Use ABEK type gas masks in case of irritating exposure. If necessary, use with sufficient exhaust ventilation.	
Skin protection:	Handling with nitril-gloves (EN 374). Breakthrough time: >480' Material thickness: 0,35 mm. Thoroughly check gloves before use. Take of the gloves properly without touching the outside with your bare hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specific work station. Wash and dry your hands.	
Eye protection:	Keep an eye-rinse bottle within reach. Tight-fitting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.	8

Other protection:

Wear impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.



9 **SECTION 9: Physical and chemical properties:**

		Jorda and chemical properties	
9	9.1 Information on basic physical and chemical properties:		
	Melting point/melting range:	-40 °C	
	Boiling point/Boiling	78 °C — 192	
	range:	°C	
	pH:	8.0	
	pH 1% diluted in water:	1	
	Vapour pressure/20°C,:	5 850 Pa	
	Vapour density:	Not applicable	
	Relative density, 20°C:	0.8946 kg/l	
	Appearance/20°C:	Liquid	
	Flash point:	20 °C	
	Flammability (solid, gas):	Not applicable	
	Auto-ignition temperature:	370 °C	
	Upper flammability or explosive limit, (Vol %):	19.000 %	
	Lower flammability or explosive limit, (Vol %):	3.000 %	
	Explosive properties:	Not applicable	
	Oxidising properties:	Not applicable	
	Decomposition	1	
	temperature: Solubility in water:	Completely	
	Solubility in water.	soluble	
	Partition coefficient: noctanol/water:	Not applicable	
	Odour:	characteristic	
	Odour threshold:	Not applicable	
	Dynamic viscosity, 20°C:	1 mPa.s	
	Kinematic viscosity, 40°C:	1 mm²/s	
	Evaporation rate (n- BuAc = 1):	2.000	

9.2 Other information:

9.2 Other Information:	
Volatile organic	46.05 %
component (VOC):	
Volatile organic	467.121 g/l
component (VOC):	
Sustained combustion	/
test :	

SECTION 10: Stability and reactivity:

10.1 Reactivity:

Stable under normal conditions.

Chemical stability: 10.2

Extremely high or low temperatures.

None

10.4 Conditions to avoid:

Protect from sunlight and do not expose to temperatures exceeding + 50°C.

10.5 Incompatible materials:

Acids, alkalines, oxidants, reductants

10.6 Hazardous decomposition products:

Under recommended usage conditions, hazardous decomposition products are not expected.

1

11 SECTION 11: Toxicological information:

11.1 Information on toxicological effects:

H319 Eye Irrit. 2:

Causes serious eye irritation.

Calculated acute toxicity, ATE oral:

Calculated acute toxicity, ATE / dermal:

Ethanol	LD50 oral, rat:	≥ 5 000 mg/kg
	LD50 dermal, rabbit:	≥ 5 000 mg/kg
	LC50, Inhalation, rat, 4h:	≥ 50 mg/l
Ethyleneglycol	LD50 oral, rat:	500 mg/kg
	LD50 dermal, rabbit:	≥ 5 000 mg/kg
	LC50, Inhalation, rat, 4h:	≥ 50 mg/l

12 SECTION 12: Ecological information:

12.1 Toxicity:

12.1 TOXICILY.		
Ethanol	LC50 (Fish):	13000 mg/L (Oncorhynchus mykiss)(96h)
	EC50 (Daphnia):	12340 mg/L (48h)
	EC50 (Algae):	275 mg/L (Chlorella vulgaris)(72h)
Ethyleneglycol	LC50 (Fish):	72860 mg/L (96h)
	EC50 (Daphnia):	> 100 mg/L (48h)

12.2 Persistence and degradability:

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential:

	Additional data:
Ethanol	Log Pow: -0,35
Ethyleneglycol	Log Pow = -1,36

12.4 Mobility in soil:

Water hazard class, WGK (AwSV): 1

Solubility in water: Completely soluble

12.5 Results of PBT and vPvB assessment:

No additional data available

12.6 Other adverse effects:

No additional data available

13 SECTION 13: Disposal considerations:

13.1 Waste treatment methods:

The product may be discharged in the indicated percentages of utilization, provided it is neutralised to pH 7. Possible restrictive regulations by local authority should always be adhered to.

14 SECTION 14: Transport in	formation:
14.1 UN number:	
1987	
14.2 UN proper shipping name:	
UN 1987 Alcohols, n.o.s. (mixture with	Ethanol) , 3, II, (D/E)
14.3 Transport hazard class(es):	
Class(es):	3
Identification number of the 33 ha	azard:
14.4 Packing group:	
Ш	
14.5 Environmental hazards:	
Not dangerous to the environment	
14.6 Special precautions for user:	
Hazard characteristics:	Risk of fire. Risk of explosion. Containments may explode when heated.
Additional guidance:	Take cover. Keep out of low areas.

15 SECTION 15: Regulatory information:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Water hazard class, WGK (AwSV):1Volatile organic component (VOC):46.051 %

Volatile organic component (VOC): 467.121 g/l

Composition by regulation (EC) Nonionic surfactants < 5%, Perfumes (Limonene) 648/2004:

15.2 Chemical Safety Assessment:

No data available

16 SECTION 16: Other information:

Legend to abbreviations used in the safety data sheet:

ADR:	The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE:	Acute Toxicity Estimate
BCF:	Bioconcentration factor
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging of chemicals
EINECS:	European INventory of Existing commercial Chemical Substances
LC50:	median Lethal Concentration for 50% of subjects
LD50:	median Lethal Dose for 50% of subjects
Nr.:	Number
PTB:	Persistent, Toxic, Bioaccumulative
TLV:	Threshold Limit Value
UFI:	Unique Formula Identifier
vPvB:	very Persistent and very Bioaccumulative substances
WGK:	Water hazard class
WGK 1:	Slightly hazardous for water
WGK 2:	Hazardous for water
WGK 3:	Extremely hazardous for water
Legend to the H Phrases used in the safety data sheet:	

H225 Flam. Liq. 2: Highly flammable liquid and vapour.H302 Acute tox. 4: Harmful if swallowed. H319 Eye Irrit. 2:Causes serious eye irritation.H373n STOT RE 2: May cause damage to organs (kidneys) through prolonged or repeated exposure.

CLP Calculation method:

Calculation method

Reason of revision, changes of following items:

Section: 15.1

SDS reference number: ECM-

111166,00

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2015/830. Classification has been calculated in accordance with European regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application , the user must carry out a material suitability and safety study himself.