



Technical Data Sheet

## STRUKTOL SB 2080 N

Antifoam agent

### Chemical Composition

Derivates of natural fatty acids in combination with special fatty alcohols

### Properties

Appearance	yellowish dispersion
Odour	aromatic
Specific gravity	950 kg/m <sup>3</sup> at 20°C
Viscosity	130 mPa.s at 25°C
Toxicological Behaviour	inoffensive
Ecological Behaviour	inoffensive - see safety-data-sheet
Storage stability	at least 1 year at adequate storage After longer storage separations could appear. In this case it is recommendable to stir the product before use.

The data given are typical values which are not intended for use in preparing specifications. For test methods refer to the corresponding supplement.

Schill + Seilacher "Struktol"  
Aktiengesellschaft  
Moorfleeter Str. 28  
22113 Hamburg  
GERMANY

Phone: +49 40 73 36 2-0  
Fax: +49 40 73 36 2-194  
E-Mail: info@struktol.de

[www.struktol.de](http://www.struktol.de)



## **Application**

The most favourable dosage quantity and the best adding point for **STRUKTOL SB 2080 N** depend on plant conditions and have to be found out by trials. **STRUKTOL SB 2080 N** can be used undiluted as delivered as well as diluted with water.

The suggestions for application and usage of our products as well as possible proposed formulations are meant to advise only to the best of our knowledge. This information is without obligation and does not release customers from their own testings to ensure suitability for intended processes and use. Liability is only accepted in case of intention or gross negligence.

Liability for any defects caused by minor negligence are not accepted. Each producer is responsible and liable to observe legislation and patent rights of third parties.

This new leaflet replaces all previously printed documentation.

Alterations reserved. 27/03/2006

Schill + Seilacher "Struktol" Aktiengesellschaft Moorfleeter Straße 28 22113 Hamburg Germany  
Phone: +49 40 73362-0 Fax: +49 40 73362-194 E-Mail: [info@struktol.de](mailto:info@struktol.de)

<b>COMPANY INFORMATION DISTRIBUTOR</b>		
<b>name</b>	<b>BRENNTAG N.V.</b>	<b>BRENNTAG Nederland B.V.</b>
address	Nijverheidslaan 38 8540 Deerlijk	Donker Duyvisweg 44 3316 BM Dordrecht
country	Belgium	The Netherlands
phone number	+32 (0)56 77 69 44	+31 (0)78 65 44 944
fax number	+32 (0)56 77 57 11	+31 (0)78 65 44 919
website	www.brenntag.be	www.brenntag.nl
e-mail	info@brenntag.be	info@brenntag.nl
activities	Distribution and export of chemicals and raw materials	
VAT number	BE0405317567	NL001375945B01
recall procedure available	Yes	
emergency number (24/365)	+32 (0)56 77 69 44	+31 (0)78 6544 944
<b>QUALITY SYSTEMS</b>		
ISO 9001	Yes	Yes
ISO 14001	Yes	Yes
ISO 22000	Yes	Yes
FSSC 22000	Yes	Yes
GMP+ -feed	Yes	Yes
OHSAS18001	-	Yes
ESAD	Yes	Yes
other	-	AEO