

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Huwa-San TR-5
CAS No : 7722-84-1
Synonyms : Stabilized hydrogen peroxide

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Use of the substance/mixture : Disinfectant.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ROAM TECHNOLOGY NV
I.Z. Poort Genk 6835, Geleenlaan 24
3600 Genk / Belgium
T +32 89 44 00 42
info@roamtechnology.com - www.roamtechnology.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
Hazard statements (CLP) : H319 - Causes serious eye irritation
Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling
P280 - Wear eye protection, face protection, protective clothing, protective gloves
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Huwa-San TR-5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrogen peroxide solution ... %	(CAS No) 7722-84-1 (EC no) 231-765-0 (EC index no) 008-003-00-9 (REACH-no) 01-2119485845-22	4,5 - 4,9	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 STOT SE 3, H335
Name	Product identifier	Specific concentration limits	
hydrogen peroxide solution ... %	(CAS No) 7722-84-1 (EC no) 231-765-0 (EC index no) 008-003-00-9 (REACH-no) 01-2119485845-22	(5 =< C < 8) Eye Irrit. 2, H319 (8 =< C < 50) Eye Dam. 1, H318 (C >= 35) STOT SE 3, H335 (35 =< C < 50) Skin Irrit. 2, H315 (50 =< C < 70) Skin Corr. 1B, H314 (50 =< C < 70) Ox. Liq. 2, H272 (C >= 70) Skin Corr. 1A, H314 (C >= 70) Ox. Liq. 1, H271	

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
- First-aid measures after inhalation : Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
- First-aid measures after skin contact : Rinse with water. Do not apply (chemical) neutralizing agents. Remove clothing before washing. Take victim to a doctor if irritation persists.
- First-aid measures after eye contact : Rinse with water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
- First-aid measures after ingestion : Rinse mouth with water. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : Slight irritation.
- Symptoms/injuries after eye contact : Irritation of the eye tissue.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Adapt extinguishing media to the environment.
- Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : DIRECT FIRE HAZARD. Non combustible.
- Explosion hazard : DIRECT EXPLOSION HAZARD. No data available on direct explosion hazard. INDIRECT EXPLOSION HAZARD. No data available on indirect explosion hazard.
- Reactivity : Decomposes slowly on exposure to light: oxidation which increases fire hazard. This reaction is accelerated on exposure to temperature rise and on exposure to impurities.

5.3. Advice for firefighters

- Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.
- Firefighting instructions : Cool tanks/drums with water spray/remove them into safety.
- Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Safety glasses. Protective clothing. See "Material-Handling" to select protective clothing.
- Emergency procedures : Mark the danger area. No naked flames. Wash contaminated clothes.

6.1.2. For emergency responders

No additional information available

Huwa-San TR-5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply.

Methods for cleaning up : Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. See "Material-handling" for suitable container materials. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

Reference to other sections (8, 13).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Keep away from naked flames/heat. Observe strict hygiene. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

7.2. Conditions for safe storage, including any incompatibilities

Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources.

Storage area : Store in a cool area. Store in a dark area. Protect against frost. Meet the legal requirements.

Special rules on packaging : SPECIAL REQUIREMENTS: closing. Clean. opaque. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.

Packaging materials : SUITABLE MATERIAL: stainless steel. aluminium. synthetic material. glass.

7.3. Specific end use(s)

Refer to manufacturer/supplier for information on identified use(s).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Huwa-San TR-5 (7722-84-1)		
Belgium	Limit value (mg/m ³)	1,4 mg/m ³
Belgium	Limit value (ppm)	1 ppm
hydrogen peroxide solution ... % (7722-84-1)		
Belgium	Limit value (mg/m ³)	1,4 mg/m ³
Belgium	Limit value (ppm)	1 ppm

8.2. Exposure controls

Materials for protective clothing : GIVE EXCELLENT RESISTANCE: Butyl rubber. Natural rubber. Nitrile rubber. Polyethylene. Viton. GIVE GOOD RESISTANCE: polyethylene/ethylenevinylalcohol. PVC. GIVE LESS RESISTANCE: neoprene. GIVE POOR RESISTANCE: PVA.

Hand protection : Gloves.

Eye protection : Safety glasses.

Skin and body protection : Protective clothing.

Respiratory protection : Respiratory protection not required in normal conditions.

Environmental exposure controls : Reference to other sections (6.2, 6.3, 13).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Liquid.

Molecular mass : 34,01 g/mol

Colour : Colourless.

Odour : Odourless.

Odour threshold : No data available

pH : 3 - 4

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : -11 °C

Boiling point : 103 °C

Flash point : Not applicable

Auto-ignition temperature : Not applicable

Huwa-San TR-5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1
Density	: 1,015 – 1,019 g/cm ³
Solubility	: Soluble in water. Soluble in ethanol. Soluble in ether. Water: Complete
Log Pow	: -1,36
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Minimum ignition energy	: Not applicable
VOC content	: Not applicable
Other properties	: Clear. Physical properties depending on the concentration.

SECTION 10: Stability and reactivity

10.1. Reactivity

Decomposes slowly on exposure to light: oxidation which increases fire hazard. This reaction is accelerated on exposure to temperature rise and on exposure to impurities.

10.2. Chemical stability

Unstable on exposure to light.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Huwa-San TR-5 (7722-84-1)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
hydrogen peroxide solution ... % (7722-84-1)	
ATE CLP (oral)	500,000 mg/kg bodyweight
ATE CLP (dust,mist)	1,500 mg/l/4h

Skin corrosion/irritation	: Not classified pH: 3 - 4
Serious eye damage/irritation	: Causes serious eye irritation. pH: 3 - 4
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
IARC group	: 3

Huwa-San TR-5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Classification concerning the environment: not applicable.
Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water : Mild water pollutant (surface water). pH shift. No data available on ecotoxicity.

12.2. Persistence and degradability

Huwa-San TR-5 (7722-84-1)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available. Photolysis in the air.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

Huwa-San TR-5 (7722-84-1)	
Log Pow	-1,36
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Remove to an authorized plant for the destruction, neutralization and elimination of hazardous waste. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Treat using the best available techniques before discharge into drains or the aquatic environment.

Additional information : Hazardous waste according to Directive 2008/98/EC.

European List of Waste (LoW) code : 06 13 99 - wastes not otherwise specified

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Transport regulations (ADR) : Not subject

Transport regulations (RID) : Not subject

14.6.2. Transport by sea

Transport regulations (IMDG) : Not subject

Huwa-San TR-5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

14.6.3. Air transport

Transport regulations (IATA) : Not subject

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : Not applicable

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

Update exess.

Data sources : The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time tot time. Only the most recent versions may be used. Old versions must be destroyed. unless indicated ontherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheets offers no quality specification for the substances/preparations/mixtures in questions.

Full text of H- and EUH-phrases:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Liq. 1	Oxidising Liquids, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H271	May cause fire or explosion; strong oxidiser
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product