

# SAFETY DATA SHEET of: Handspray 70%

Revision date: Friday, March 13, 2020

# 1 SECTION 1: Identification of the substance/mixture and of the company/undertaking:

#### 1.1 Product identifier:

# Handspray +70%

1.2 Relevant identified uses of the substance or mixture and uses advised against:

/

Concentration in use: /

# 1.3 Details of the supplier of the safety data sheet:

Indufarm N.V.

Industriestraat 29

8755 Ruiselede

Phone: +32-51-624245

E-mail: info@indufarm.com — Website: http://www.indufarm.com

#### 1.4 Emergency telephone number:

+32 70 245 245

# 2 SECTION 2: Hazards identification:

#### 2.1 Classification of the substance or mixture:

Classification of the substance or mixture in accordance with regulation (EU) 1272/2008:

H225 Flam. Liq. 2 H319 Eye Irrit. 2

#### 2.2 Label elements:

Pictograms:



Signal word:

#### Danger

#### Hazard statements:

H225 Flam. Liq. 2: Highly flammable liquid and vapour.
H319 Eye Irrit. 2: Causes serious eye irritation.

#### Precautionary statements:

**P210:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P370+P378: In case of fire: Use carbon dioxide (CO2) or dry chemical extinguisher for extinction

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### Contains:

None

#### 2.3 Other hazards:

None

# 3 SECTION 3: Composition/information on ingredients:

Ethanol	CAS number: 64-17-5 EINECS: 200-578-0 REACH Registration number: 01-21194 CLP Classification: H225 Flat H319 Eye	57610-43 m. Liq. 2
---------	--	-----------------------

For the full text of the H phrases mentioned in this section, see section 16.

#### 4 SECTION 4: First aid measures:

#### 4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.

Skin contact: Remove contaminated clothing, rinse skin with plenty of water, if necessary seek

medical attention.

**Eye contact:** Thoroughly rinse with water (contact lenses to be removed if this is easily done) then

take to physician.

**Ingestion:** Rinse mouth, do not induce vomiting, take to hospital immediately.

**Inhalation:** Let sit upright, fresh air, rest and take to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Skin contact: None

Eye contact: Redness

**Ingestion:** Diarrhoea, headache, abdominal cramps, sleepiness, vomiting

Inhalation: None

#### 4.3 Indication of any immediate medical attention and special treatment needed:

None

# 5 SECTION 5: Fire-fighting measures:

#### 5.1 Extinguishing media:

CO2, foam, powder, sprayed water

# 5.2 Special hazards arising from the substance or mixture:

None

#### 5.3 Advice for firefighters:

Extinguishing agents to be avoided:

None

# 6 SECTION 6: Accidental release measures:

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up wind. Remove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

#### 6.2 Environmental precautions:

Do not allow to flow into sewers or open water.

# 6.3 Methods and material for containment and cleaning up:

Contain released substance, store into suitable containers. If possible, remove by using absorbent material.

#### 6.4 Reference to other sections:

For further information, check sections 8 & 13.

# 7 SECTION 7: Handling and storage:

#### 7.1 Precautions for safe handling:

Handle with care to avoid spillage.

# 7.2 Conditions for safe storage, including any incompatibilities:

Keep in a sealed container in a closed, frost-free, ventilated room.

#### 7.3 Specific end use(s):

/

# 8 SECTION 8: Exposure controls/personal protection:

#### 8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the TLV value is known

Ethanol 1,907 mg/m³, Methyl ethyl ketone 600 mg/m³, Isopropanol 424 mg/m³

# 8.2 Exposure controls:

espiratory protection is not required. Use ABEK type gas masks in case of irritating exposure. If necessary, use with sufficient exhaust ventilation.	
Handling with nitril-gloves (EN 374). Breakthrough time: >480' Material thickness: 0,35 mm. ghly check gloves before use. Take of the gloves properly without touching the outside <b>protection</b> : e hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specific work station. Wash and dry your hands.	
eye-rinse bottle within reach. Tight-fitting safety goggles. Wear a face shield and <b>protection:</b> it in case of exceptional processing problems.	
impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.	

# 9 SECTION 9: Physical and chemical properties:

#### 9.1 Information on basic physical and chemical properties:

Melting point/melting range: /

**Boiling point/Boiling range:** 78 °C — 100 °C

pH: 8.0 pH 1% diluted in water: /

Vapour pressure/20°C;:5 850 PaVapour density:Not applicableRelative density, 20°C:0.8000 kg/lAppearance/20°C:LiquidFlash point:20 °C

Flammability (solid, gas): Not applicable

Auto-ignition temperature: 370  $^{\circ}$ C Upper flammability or explosive 19.000  $^{\circ}$ 

limit, (Vol %):

Lower flammability or explosive 3.000 %

limit, (Vol %):

Explosive properties: Not applicable

Oxidising properties: Not applicable

Decomposition temperature: /

Solubility in water: Completely soluble

Partition coefficient: n- Not applicable

octanol/water:

Odour: characteristic

Odour threshold: Not applicable

Dynamic viscosity, 20°C: 1 mPa.s

Kinematic viscosity, 40°C: 1 mm²/s

Evaporation rate (n-BuAc = 1): 2.000

## 9.2 Other information:

Volatile organic component (VOC): 70.00 % Volatile organic component (VOC): 559.994 g/l

Sustained combustion test: /

# 10 SECTION 10: Stability and reactivity:

#### 10.1 Reactivity:

Stable under normal conditions.

#### 10.2 Chemical stability:

Extremely high or low temperatures.

# 10.3 Possibility of hazardous reactions:

None

#### 10.4 Conditions to avoid:

Protect from sunlight and do not expose to temperatures exceeding + 50°C.

#### 10.5 Incompatible materials:

Acids, alkalines, oxidants, reductants

#### 10.6 Hazardous decomposition products:

Under recommended usage conditions, hazardous decomposition products are not expected.

# 11 SECTION 11: Toxicological information:

# 11.1 Information on toxicological effects:

**H319 Eye Irrit. 2:** Causes serious eye irritation.

Calculated acute toxicity, ATE oral: / Calculated acute toxicity, ATE / dermal:

Ethanol	LD50 oral, rat:	≥ 5 000 mg/kg
	LD50 dermal, rabbit:	≥ 5 000 mg/kg
	LC50, Inhalation, rat, 4h:	≥ 50 mg/l

# 12 SECTION 12: Ecological information:

#### 12.1 Toxicity:

Ethanol	LC50 (Fish):	13000 mg/L (Oncorhynchus mykiss)(96h)
	EC50 (Daphnia):	12340 mg/L (48h)
	EC50 (Algae):	275 mg/L (Chlorella vulgaris)(72h)

# 12.2 Persistence and degradability:

#### 12.3 Bioaccumulative potential:

	Additional data:
Ethanol	Log Pow: -0,35

#### 12.4 Mobility in soil:

Water hazard class, WGK (AwSV): 1

Solubility in water: Completely soluble

#### 12.5 Results of PBT and vPvB assessment:

No additional data available

#### 12.6 Other adverse effects:

No additional data available

# 13 SECTION 13: Disposal considerations:

#### 13.1 Waste treatment methods:

The product may be discharged in the indicated percentages of utillization, provided it is neutralised to pH 7. Possible restrictive regulations by local authority should always be adhered to.

# 14 SECTION 14: Transport information:

#### 14.1 UN number:

1170

# 14.2 UN proper shipping name:

UN 1170 Ethanol, solution, 3, II, (D/E)

# 14.3 Transport hazard class(es):

Class(es): 3

Identification number of the

33

hazard:

#### 14.4 Packing group:

Ш

#### 14.5 Environmental hazards:

Not dangerous to the environment

#### 14.6 Special precautions for user:

**Hazard characteristics:** Risk of fire. Risk of explosion. Containments may explode when heated.

Additional guidance: Take cover. Keep out of low areas.



# 15 SECTION 15: Regulatory information:

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Water hazard class, WGK (AwSV): 1

Volatile organic component (VOC): 69.999 %
Volatile organic component (VOC): 559.994 g/l
Composition by regulation (EC) None

648/2004:

#### 15.2 Chemical Safety Assessment:

No data available

# 16 SECTION 16: Other information:

# Legend to abbreviations used in the safety data sheet:

ADR: The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE: Acute Toxicity Estimate
BCF: Bioconcentration factor
CAS: Chemical Abstracts Service

**CLP:** Classification, Labelling and Packaging of chemicals

**EINECS:** European INventory of Existing commercial Chemical Substances

**LC50:** median Lethal Concentration for 50% of subjects

**LD50:** median Lethal Dose for 50% of subjects

Nr.: Number

PTB: Persistent, Toxic, Bioaccumulative

TLV: Threshold Limit Value

vPvB: very Persistent and very Bioaccumulative substances

WGK: Water hazard class

WGK 1: Slightly hazardous for water

WGK 2: Hazardous for water

WGK 3: Extremely hazardous for water

# Legend to the H Phrases used in the safety data sheet:

H225 Flam. Liq. 2: Highly flammable liquid and vapour. H319 Eye Irrit. 2: Causes serious eye irritation.

#### **CLP Calculation method:**

Calculation method

#### Reason of revision, changes of following items:

Not applicable

#### SDS reference number:

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2015/830. Classification has been calculated in accordance with European regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application, the user must carry out a material suitability and safety study himself.