

**PROPHYL S - 1116192**

**SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : PROPHYL S  
Product code : 1116192.  
UFI : G29Q-F674-130K-2YJM

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

For professional use only  
PT3 biocide : Disinfectant for veterinary uses

**1.3. Details of the supplier of the safety data sheet**

Registered company name : HUVEPHARMA SA.  
Address : 34 rue Jean Monnet , Z.I. d'Etriché, Segré .49500.SEGRE-EN-ANJOU BLEU.France.  
Telephone : +33 (0) 2 41 92 11 11. Fax : +33 (0) 2 41 61 04 59.  
E-mail : info-france@huvepharma.com

**1.4. Emergency telephone number : +33 (0)1 45 42 59 59.**

Association/Organisation : France - INRS / ORFILA <http://www.centres-antipoison.net> .

**Other emergency numbers**

Bulgaria : Emergency Medicine N.I. Pirogov'' : +35 9 2 9154 233  
Czech Republic : Toxikologické informacní středisko : +42 0 224 919 293 / +420 224 915 402  
Denmark : Giftlinjen : 82 12 12 12  
Germany : Giftnotruf der Charité : 030 / 19240  
Greece : National Poison Information Center : (0030) 2107793777  
Hungary : Információs szolgálat akut mérgezés esetén : (+36-80) 201-199  
Ireland : Poisons Information Centre, Beaumont Hospital : 01 8092566 / 01 8379964  
Italy : Ospedale Niguarda Ca'Granda : 02 661 010 29  
Netherlands : National Poisons Information Center : 030-2748888  
Poland : Poisons information Centre : (00 48)(58) 47 82 22 / (00 48)(58) 31 65 16  
Portugal : Portugal CIAV inha telefónica exclusiva: +351 800 250 250  
Romania : Biroul RSI si Informare Toxicologica : 021 318 36 06  
Slovakia : National Toxicological Information Center : +421 2 5477 4166  
España : Teléfono de emergencias: + 34 91 562 04 20 (Solo emergencias toxicológicas. Información en español (24h/365 días)  
24h emergency consultation telephone in China :010-62129530  
Belgium : National Poisons Control Center : 70 245 245  
United Kingdom : NHS 111  
Austria : Notruf 0–24 Uhr: 01 406 43 43

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Skin corrosion, Category 1C (Skin Corr. 1C, H314).  
Serious eye damage, Category 1 (Eye Dam. 1, H318).  
Skin sensitisation, Category 1B (Skin Sens. 1B, H317).  
Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

**2.2. Label elements**

Biocidal mixture (see section 15).  
Mixture for spray application.

**PROPHYL S - 1116192**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazard pictograms :



GHS05

GHS07

Signal Word :

DANGER

Product identifiers :

EC 200-431-6 CHLOROCRESOL

Hazard statements :

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention :

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - Response :

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Precautionary statements - Disposal :

P501 Dispose of contents/container according to local regulation

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq$  0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

**Composition :**

Identification	(EC) 1272/2008	Note	%
INDEX: 604_014_00_3 CAS: 59-50-7 EC: 200-431-6 REACH: 01-2119938953-25-0000  CHLOROCRESOL	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1C, H314 Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1		10 $\leq$ x % < 25
INDEX: MERIEL74 CAS: 97489-15-1 EC: 307-055-2 REACH: 01-2119489924-20-xxxx  SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS	GHS07, GHS05 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412		2.5 $\leq$ x % < 10

**PROPHYL S - 1116192**

INDEX: MERIEL61 CAS: 79-14-1 EC: 201-180-5 REACH: 01-2119485579-17-xxxx ACIDE GLYCOLIQUE	GHS07, GHS05 Dgr Skin Corr. 1B, H314 Acute Tox. 4, H332		2.5 <= x % < 10
--	--	--	-----------------

(Full text of H-phrases: see section 16)

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.  
NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures**

**In the event of exposure by inhalation :**

Carry the victim to fresh air. Call a doctor.

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.  
Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

**In the event of splashes or contact with skin :**

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.  
Remove any soiled or splashed clothing immediately.  
Watch out for any remaining product between skin and clothing, watches, shoes, etc.  
In the event of an allergic reaction, seek medical attention.  
If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

**In the event of swallowing :**

Do not give the patient anything orally.  
Keep the person exposed at rest. Do not force vomiting.  
Seek medical attention immediately, showing the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Information for the doctor :**

Formula declared at the anti-poison center

**SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

**5.1. Extinguishing media**

**Suitable methods of extinction**

In the event of a fire, use :  
- sprayed water or water mist  
- foam  
- multipurpose ABC powder  
- BC powder  
- carbon dioxide (CO<sub>2</sub>)

**Unsuitable methods of extinction**

In the event of a fire, do not use :  
- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.  
Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)  
- carbon dioxide (CO<sub>2</sub>)  
- sulphur dioxide (SO<sub>2</sub>)  
- hydrogen chloride (HCl)  
Halogenated derivatives

**PROPHYL S - 1116192**

---

**5.3. Advice for firefighters**

No data available.

---

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For non first aid worker**

Avoid any contact with the skin and eyes.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Neutralise with an alkaline decontaminant, such as an aqueous solution of sodium carbonate or similar.

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

**6.4. Reference to other sections**

No data available.

---

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

**7.1. Precautions for safe handling**

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

**Fire prevention :**

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in a cool place away from .....(incompatible materials)

**Storage**

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

**Packaging**

Keep strictly in original packaging

**7.3. Specific end use(s)**

No data available.

---

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

No data available.

**PROPHYL S - 1116192**

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS (CAS: 97489-15-1)

<b>Final use:</b>	<b>Workers.</b>
Exposure method:	Dermal contact.
Potential health effects:	Short term local effects.
DNEL :	2.8 mg of substance/cm2
Exposure method:	Dermal contact.
Potential health effects:	Long term systemic effects.
DNEL :	5 mg/kg body weight/day
Exposure method:	Dermal contact.
Potential health effects:	Long term local effects.
DNEL :	2.8 mg of substance/cm2
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	35 mg of substance/m3

**Predicted no effect concentration (PNEC):**

SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS (CAS: 97489-15-1)

Environmental compartment:	Soil.
PNEC :	9.4 mg/kg
Environmental compartment:	Fresh water.
PNEC :	0.04 mg/l
Environmental compartment:	Sea water.
PNEC :	0.004 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	9.4 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	0.94 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	600 mg/l

**8.2. Exposure controls**

**Personal protection measures, such as personal protective equipment**

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

When spraying, wear a face shield in accordance with standard EN166.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

**- Hand protection**

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)

**PROPHYL S - 1116192**

- Butyl Rubber (Isobutylene-isoprene copolymer)
  - Neoprene® (Polychloroprene)
- Recommended properties :
- Impervious gloves in accordance with standard EN ISO 374-2

**- Body protection**

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Suitable type of protective boots :

In the event of minor spatter, wear protective boots or half-boots against chemical risks in accordance with standard EN13832-2.

In the event of prolonged contact, wear boots or half-boots with liquid-chemical-resistant and waterproof soles and uppers in accordance with standard EN13832-3.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**- Respiratory protection**

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A2 (Brown)

Particle filter according to standard EN143 :

- P2 (White)

If using the product by spraying wear appropriate respiratory material

---

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

**General information :**

Physical state : Fluid liquid.

**Important health, safety and environmental information**

pH :	2.30 . Slightly acidic.
pH (aqueous solution) :	à 2 % : 3.5
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	1.068
Water solubility :	Soluble.
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.

**9.2. Other information**

No data available.

---

**SECTION 10 : STABILITY AND REACTIVITY**

**10.1. Reactivity**

None under normal conditions of use

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

Can react with substances listed on 10.5 paragraph

**10.4. Conditions to avoid**

Avoid :

- frost

**PROPHYL S - 1116192**

**10.5. Incompatible materials**

Keep away from :

- strong oxidising agents
- strong reducing agents
- hydrogen peroxide
- nitrates
- sodium hypochlorite

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)
- halogenated derivatives

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**11.1. Information on toxicological effects**

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between one and four hours.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

May cause an allergic reaction by skin contact.

**11.1.1. Substances**

**Acute toxicity :**

ACIDE GLYCOLIQUE (CAS: 79-14-1)

Oral route :

LD50 = 2.040 mg/kg

Species : Rat

Inhalation route (n/a) :

LC50 = 3.6 mg/l

Species : Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

Duration of exposure : 4 h

SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS (CAS: 97489-15-1)

Oral route :

300 < LD50 <= 2000 mg/kg

Species : Rat

Species : Mouse

CHLOROCRESOL (CAS: 59-50-7)

Oral route :

LD50 = 1830 mg/kg

Species : Rat

Dermal route :

1,000 < LD50 <= 2000 mg/kg

Species : Rat

Inhalation route (n/a) :

LC50 > 2.871 mg/l

Species : Rat

**Skin corrosion/skin irritation :**

ACIDE GLYCOLIQUE (CAS: 79-14-1)

Corrosivity :

Causes severe skin burns.

Species : Rabbit

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**11.1.2. Mixture**

No toxicological data available for the mixture.

**PROPHYL S - 1116192**

**SECTION 12 : ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

**12.1. Toxicity**

**12.1.1. Substances**

SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS (CAS: 97489-15-1)

Fish toxicity : Duration of exposure : 96 h

NOEC = 0.85 mg/l  
Species : *Oncorhynchus mykiss*  
Duration of exposure : 28 days

Crustacean toxicity : OECD Guideline 202 (*Daphnia* sp. Acute Immobilisation Test)

NOEC = 0.36 mg/l  
Species : *Daphnia magna*  
Duration of exposure : 21 days

ACIDE GLYCOLIQUE (CAS: 79-14-1)

Fish toxicity : LC50 = 114.8 mg/l  
Species : *Pimephales promelas*  
Duration of exposure : 96 h

Crustacean toxicity : EC50 = 99.6 mg/l  
Species : *Daphnia magna*  
Duration of exposure : 48 h  
OECD Guideline 202 (*Daphnia* sp. Acute Immobilisation Test)

Algae toxicity : ECr50 = 31.2 mg/l  
Species : *Pseudokirchnerella subcapitata*  
Duration of exposure : 72 h  
OECD Guideline 201 (Alga, Growth Inhibition Test)

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability**

**12.2.1. Substances**

ACIDE GLYCOLIQUE (CAS: 79-14-1)

Biodegradability : Rapidly degradable.

SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS (CAS: 97489-15-1)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

CHLOROCRESOL (CAS: 59-50-7)

Biodegradability : Rapidly degradable.

**12.3. Bioaccumulative potential**

**12.3.1. Substances**

ACIDE GLYCOLIQUE (CAS: 79-14-1)

Octanol/water partition coefficient : log K<sub>ow</sub> = -1.07

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.



**PROPHYL S - 1116192**

**12.6. Other adverse effects**

No data available.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :**

16 05 08 \* discarded organic chemicals consisting of or containing dangerous substances

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2020).

**14.1. UN number**

1903

**14.2. UN proper shipping name**

UN1903=DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

(chlorocresol, acide glycolique)

**14.3. Transport hazard class(es)**

- Classification :



8

**14.4. Packing group**

III

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C9	III	8	80	5 L	274	E1	3	E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	8	-	III	5 L	F-A, S-B	223 274	E1	Category A	-

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	8	-	III	852	5 L	856	60 L	A3 A803	E1
	8	-	III	Y841	1 L	-	-	A3 A803	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**PROPHYL S - 1116192**

**SECTION 15 : REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**- Labelling for biocidal products (Regulation 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC)**

Name	CAS	%	Product-type
ACIDE GLYCOLIQUE	79-14-1	49.00 g/kg	03
CHLOROCRESOL	59-50-7	170.00 g/kg	03

Product-type 3 : Veterinary hygiene.

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

**Abbreviations :**

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique Formula Identifier

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

---

**PROPHYL S - 1116192**

---

vPvB : Very persistent, very bioaccumulable.  
SVHC : Substances of very high concern.