



SECT	TION 1: IDENTIFICATION C	OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING						
1.1	Product identifier:	F0115 - Maxid Fourage						
	Other means of identificati	on:						
	UFI: 7J10-W000-G00E-KHG9							
1.2	Relevant identified uses of	the substance or mixture and uses advised against:						
	Relevant uses: Additive for for	Ider (animal feed). For industrial user only.						
	Uses advised against: All uses	not specified in this section or in section 7.3						
1.3	Details of the supplier of the	ie safety data sheet:						
	Indufarm N.V. Leon Bekaertstraat 5 8770 Ingelmunster (B) TEL: -32-51-624245 <u>info@indufarm.com</u> www.indufarm.com							
1.4	Emergency telephone num	ber: 070-245245						
	TION 2: HAZARDS IDENTIF							
2.1	Classification of the substa							
	CLP Regulation (EC) No 1272/2008:							
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.							
	Acute Tox. 4: Acute toxicity, C Eye Dam. 1: Serious eye dam Skin Corr. 1: Skin corrosion, C STOT SE 3: Respiratory tract	age, Category 1, H318						

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Skin Corr. 1: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation.

Precautionary statements:

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Supplementary information:

EUH071: Corrosive to the respiratory tract.

UFI: 7J10-W000-G00E-KHG9

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS





SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Acid-based mixture of organic substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification				
CAS:	64-18-6 200-579-1 607-001-00-0 : 01-2119491174-37- XXXX	Formic acid ⁽¹⁾ Self-classified					
EC: Index: REACH:		Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Flam. Liq. 3: H226; Skin Corr. 1A: H314; EUH071 - Danger	50 - <75 %			
CAS: EC:	79-09-4 201-176-3	propionic acid (1)	Self-classified				
Index:	607-089-00-0 01-2119486971-24- XXXX	Regulation 1272/2008	Flam. Liq. 3: H226; Skin Corr. 1B: H314; STOT SE 3: H335 - Danger 🔹 🗘 🚳 🙆	10 - <25 %			
CAS:	65-85-0 200-618-2 607-705-00-8 01-2119455536-33- XXXX	benzoic acid ⁽¹⁾	ATP ATP06				
EC: Index: REACH:		Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT RE 1: H372 - Danger	1 - <2.5 %			
CAS: EC:	203-768-7 Non-applicable	Hexa-2,4-dienoic acid ⁽¹⁾ Self-classified					
Index:		Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335 - Warning	1 - <2.5 %			

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
CAS: 64-18-6 EC: 200-579-1	% (w/w) >=90: Skin Corr. 1A - H314 10<= % (w/w) <90: Skin Corr. 1B - H314 2<= % (w/w) <10: Skin Irrit. 2 - H315 % (w/w) >=10: Eye Dam. 1 - H318 2<= % (w/w) <10: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply,etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.





SECTION 4: FIRST AID MEASURES (continued)

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use





SECTION 7: HANDLING AND STORAGE (continued) Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used. B.- Technical recommendations for the prevention of fires and explosions Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided. C.- Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D.- Technical recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3) Conditions for safe storage, including any incompatibilities: 7.2 A.- Technical measures for storage Minimum Temp.: 0 °C Maximum Temp.: 40 °C Maximum time: 24 Months B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 7.3 Specific end use(s): Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

	Identification	Occupational exposure limits			
Formic acid		WEL (8h)	5 ppm	9.6 mg/m ³	
CAS: 64-18-6	EC: 200-579-1	WEL (15 min)			
propionic acid		WEL (8h)	10 ppm	31 mg/m ³	
CAS: 79-09-4	EC: 201-176-3	WEL (15 min)	15 ppm	46 mg/m ³	

DNEL (Workers):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
Formic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-18-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-579-1	Inhalation	Non-applicable	Non-applicable	Non-applicable	9.5 mg/m ³
benzoic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 65-85-0	Dermal	Non-applicable	Non-applicable	62.5 mg/kg	Non-applicable
EC: 200-618-2	Inhalation	Non-applicable	Non-applicable	3 mg/m ³	0.1 mg/m ³
Hexa-2,4-dienoic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 110-44-1	Dermal	Non-applicable	Non-applicable	40 mg/kg	Non-applicable
EC: 203-768-7	Inhalation	Non-applicable	Non-applicable	17.63 mg/m ³	Non-applicable

DNEL (General population):

	Short exposure		Long exposure		
Identification		Systemic	Local	Systemic	Local
Formic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-18-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-579-1	Inhalation	Non-applicable	Non-applicable	Non-applicable	3 mg/m ³





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short e	Short exposure		xposure
Identification		Systemic	Local	Systemic	Local
benzoic acid	Oral	Non-applicable	Non-applicable	16.6 mg/kg	Non-applicable
CAS: 65-85-0	Dermal	Non-applicable	Non-applicable	31.25 mg/kg	Non-applicable
EC: 200-618-2	Inhalation	Non-applicable	Non-applicable	1.5 mg/m ³	0.06 mg/m ³
Hexa-2,4-dienoic acid	Oral	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
CAS: 110-44-1	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 203-768-7	Inhalation	Non-applicable	Non-applicable	52.17 mg/m ³	26.08 mg/m ³

PNEC:

Identification				
Formic acid	STP	7.2 mg/L	Fresh water	2 mg/L
CAS: 64-18-6	Soil	1.5 mg/kg	Marine water	0.2 mg/L
EC: 200-579-1	Intermittent	1 mg/L	Sediment (Fresh water)	13.4 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1.34 mg/kg
benzoic acid	STP	100 mg/L	Fresh water	0.34 mg/L
CAS: 65-85-0	Soil	0.151 mg/kg	Marine water	0.034 mg/L
EC: 200-618-2	Intermittent	0.331 mg/L	Sediment (Fresh water)	1.75 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.175 mg/kg
Hexa-2,4-dienoic acid	STP	10 mg/L	Fresh water	0.129 mg/L
CAS: 110-44-1	Soil	5 mg/kg	Marine water	0.013 mg/L
EC: 203-768-7	Intermittent	0.241 mg/L	Sediment (Fresh water)	0.465 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.046 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Face shield		EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E	Body protection				





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (cont	inued)
--	--------

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks		EN 13034:2005+A1:2009 EN 168:2002 EN ISO 13982-1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1994	For professional use only. Clean periodically accordin to the manufacturer´s instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk		EN ISO 20345:2011 EN 13832-1:2019	Replace boots at any sign of deterioration.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	69.4 % weight
V.O.C. density at 20 °C:	778.54 kg/m ³ (778.54 g/L)
Average carbon number:	1.43
Average molecular weight:	52.09 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:	
Physical state at 20 °C:	Liquid
Appearance:	Colorless
Colour:	White
Odour:	Pungent
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	105 °C
Vapour pressure at 20 °C:	3020 Pa
Vapour pressure at 50 °C:	13389.55 Pa (13.39 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	1121.8 kg/m³
Relative density at 20 °C:	1.122
Dynamic viscosity at 20 °C:	1.42 cP
Kinematic viscosity at 20 °C:	1.26 mm²/s
Kinematic viscosity at 40 °C:	Non-applicable *
*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.





SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIES	6 (continued)
	Concentration:	Non-applicable *
	pH:	<1
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	>70 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	475 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard class	Ses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity:
	No. Is a second as second

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity			
	Not applicable	Not applicable Not applicable Precaution Precaution		Not applicable				
10.5	0.5 Incompatible materials:							
	Acids	Water	Oxidising materials	Combustible materials	Others			

Not applicable Not applicable Precaution Not applicable Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.





SECTION 11: TOXICOLOGICAL INFORMATION 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008: The experimental information related to the toxicological properties of the product itself is not available **Dangerous health implications:** In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect): - Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomitina. Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2. B- Inhalation (acute effect): - Acute toxicity : Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness. - Corrosivity/Irritability: Corrosive to the respiratory tract C- Contact with the skin and the eyes (acute effect): Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2. Contact with the eyes: Produces serious eye damage after contact. D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction): Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: Non-applicable Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. E- Sensitizing effects: Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages. G- Specific target organ toxicity (STOT)-repeated exposure: Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. H- Aspiration hazard: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Acute toxicity Genus 730 mg/kg Formic acid D50 oral Rat CAS: 64-18-6 D50 dermal >2000 mg/kg C50 inhalation EC: 200-579-1 7.85 mg/L (4 h) Rat D50 oral 3455 ma/ka propionic acid CAS: 79-09-4 >2000 mg/kg D50 dermal EC: 201-176-3 >20 mg/L LC50 inhalation





SECTION 11: TOXICOLOGICAL INFORMATION (continued)

	Identification		Acute toxicity	Genus
benzoic acid		LD50 oral	2565 mg/kg	Rat
CAS: 65-85-0		LD50 dermal	>2000 mg/kg	
EC: 200-618-2		LC50 inhalation	>5 mg/L	
Hexa-2,4-dienoic acid		LD50 oral	7360 mg/kg	Rat
CAS: 110-44-1		LD50 dermal	>2000 mg/kg	
EC: 203-768-7		LC50 inhalation	>5 mg/L	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
Formic acid	LC50	130 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 64-18-6	EC50	365 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-579-1	EC50	Non-applicable		

Chronic toxicity:

Identification	Concentration		Species	Genus
Formic acid	NOEC	Non-applicable		
CAS: 64-18-6 EC: 200-579-1	NOEC	100 mg/L	Daphnia magna	Crustacean
Hexa-2,4-dienoic acid	NOEC	Non-applicable		
CAS: 110-44-1 EC: 203-768-7	NOEC	50 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
Formic acid	BOD5	Non-applicable	Concentration	18 mg/L
CAS: 64-18-6	COD	Non-applicable	Period	28 days
EC: 200-579-1	BOD5/COD	Non-applicable	% Biodegradable	97 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccu	Bioaccumulation potential		
Formic acid	BCF	3.2		
CAS: 64-18-6	Pow Log			
EC: 200-579-1	Potential	Low		
Hexa-2,4-dienoic acid	BCF	6		
CAS: 110-44-1	Pow Log	1.86		
EC: 203-768-7	Potential	Low		

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
Formic acid	Кос	31	Henry	1.9E-2 Pa·m³/mol	
CAS: 64-18-6	Conclusion	Very High	Dry soil	Non-applicable	
EC: 200-579-1	Surface tension	3.862E-2 N/m (25 °C)	Moist soil	Non-applicable	





SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absor	Absorption/desorption		Volatility	
propionic acid	Кос	Non-applicable	Henry	Non-applicable	
CAS: 79-09-4	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 201-176-3	Surface tension	2.62E-2 N/m (25 °C)	Moist soil	Non-applicable	
benzoic acid	Кос	Non-applicable	Henry	Non-applicable	
CAS: 65-85-0	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 200-618-2	Surface tension	1.491E-2 N/m (300.11 °C)	Moist soil	Non-applicable	
Hexa-2,4-dienoic acid	Кос	130	Henry	5.066E-3 Pa·m ³ /mol	
CAS: 110-44-1	Conclusion	Very High	Dry soil	No	
EC: 203-768-7	Surface tension	Non-applicable	Moist soil	No	

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 14*	Acids	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



SECTION 14: TRANSPORT INFORMATION (continued)

F0115 - Maxid Fourage

Received and the second	14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities: Maritime transport in bulk according to IMO instruments:	UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid) 8 8 II No 274 E see section 9 1 L Non-applicable
Transport of da	ngeroi	us goods by sea:	
With regard to IM	DG 40-	-20:	
Real Property in the second se	14.1 14.2 14.3 14.4 14.5 14.6	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Maritime transport in bulk according to IMO	UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid) 8 8 II No 274 F-A, S-B see section 9 1 L SGG1 Non-applicable
		instruments:	
Transport of da	-	• •	
With regard to IA	14.1 14.2 14.3 14.4 14.5	O 2022: UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid) 8 8 II No
	14.7	Physico-Chemical properties: Maritime transport in bulk according to IMO instruments:	see section 9 Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains benzoic acid, Hexa-2,4-dienoic acid.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable





SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: Formic acid (Product-type 2, 3, 4, 5) ; propionic acid ; benzoic acid (Product-type 3, 4, 7, 9) ; Hexa-2,4-dienoic acid (Product-type 6)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

---ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No 1348 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885 Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits The Waste Regulations 2011, 2011 No. 988

The Waste Regulations 2011, 2011 No. 988

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H302+H332: Harmful if swallowed or if inhaled.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H331 - Toxic if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skill Coll. 1D: H314 - Causes severe skill bullis di

Skin Irrit. 2: H315 - Causes skin irritation.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation).

STOT SE 3: H335 - May cause respiratory irritation.

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:





SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Date of compilation: 12/7/2022 Version: 1

Page 13/13